Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

IF UNDELIVERED RETURN TO


LOUISVILLE SEED CO.

INCORPORATED

Exclusively Wholesale

831 W. Main Street - LOUISVILLE, KY.

RETURN POSTAGE GUARANTEED



Torticultural Orons & Diseases,
1. S. Dent. of Arriculture,
Washington, D. C.

PRICE LIST

Today's Most Important Mail

OUR GUARANTEE

IF ANY SHIPMENT OF SEEDS IS NOT AS GOOD AS SAMPLE OR BETTER; IF ANY SHIPMENT OF SEEDS IS NOT SOUND, CLEAN AND GOOD; IF WE DO NOT FULFILL EVERY WRITTEN OR VERBAL PROMISE; IN A WORD, IF YOU ARE NOT THOROUGHLY SATISFIED WITH GOLD MEDAL SEEDS SHIP THEM BACK IMMEDIATELY AT OUR EXPENSE. WE TAKE ALL RISK; WE STAND ALL THE COST.





Subject to immediate acceptance and market change we quote f.o.b. Louisville,

JANUARY 5th, 1937

10 bags

Seeds	Are	Sold	For	Cash
-------	-----	------	-----	------

Terms: Draft with bill of lading attached. Open shipments subject to sight draft within ten days.

DOMESTIC	R	EI)	CLOV	ER		PER 100	LBS
					to 4		5 ba	
old Medal .			٠	. \$3	7.	00	\$36.	50
haina				2	=	50	25	ΩΩ

	DO	M	ES	T	IC	S	AI	PL	ING	CLO	VER	
old	Me	da	1				٠		\$38	.00	\$37.	50
hoic	e								37	.00	36.	50

FRENCH	RED	CLO	VER		
Meda I		\$24	50	\$24	00

ALSIKE

Gold Medal				\$26.50	\$26.00
Choice .	٠		٠	25.50	25.00

ALFALFA

Gold	Me	dal	Ka	nsas	
	* *	0	W 7		-

U. S. Verified \$27.50 \$27.00

Gold Medal Oklahoma

U. S. Verified 25.50 25.00 Gold Medal Okla.-Kan.

U. S. Verified 26.50 26.00

GRIMM ALFALFA

Gold Medal

Gold

U. S. Verified \$30.50 \$30.00

SWEET CLOVER

Gold Medal Wh. Blo. \$14.50 \$14.00 Gold Medal Yel. Blo. 14.50 14.00

KOREAN

Gold	Me	da	Į		٠	\$18.50	\$18.00
Choic	e					\$17.50	\$17.00
Royal						\$16.50	\$16.00

KOBE

Gold Medal \$19.00 \$18.00

TIMOTHY	PER	R 100 LBS
	1 to 4 bags	5 bags or more
Gold Medal	\$7.75	\$7.50
Abe (99% pure)	7.50	7.25
Choice	7.25	7.00
Royal	6.75	6.50

ORCHARD GRASS

Gold M	eda	Ι.	•				\$17.00	\$16.50
Choice	•						16.25	15.75
Royal						-	15.75	15.25
Danish	190	3%	pu	re)		18.00	17.50

KENTUCKY BLUE GRASS

Gold	Medal		•	٠		\$18.50	\$18.00
Choic	e	•	•			18.00	17.50
Extra	Heavy	y 2	28#	! .		23.50	23.00

RED TOP

Gold Med	a l	•		•	٠	٠	\$19.50	\$19.00
Abe (90%		pui	re).			19.00	18.50
Choice .							18.00	17.50
Royal	•		٠				17.50	17.00
Unhulled					٠		9.00	8.50

PASTURE MIXTURE

Contains Red Clover, Red Top, Timothy, Orchard Grass. \$8.50

MISCELLANEOUS

Dwarf	Ess	ex	Ra	pe.				\$
Buckwh	ieat.							2.50
Vetch						٠	٠	
Domes	tic :	Rye	G	ras	S			6.75
White	Clo	ver				٠		30.00

SOY BEANS

bags	or more
	Ask
	-
	For
	25
. I	Prices
	3 .
S	7
•	Ask
-3	For
. Pr	ices
	AS

SEED OATS

Winter	Turf	٠	٠	•		Ask
Burts		٠	٠			For
Norther	n Whi	te	٠	٠	٠	
New V	ictory	٠		٠	•	Prices

LAWN GRASS

Shady	Place			٠		D		.\$27.00
Gold	Medal					٠	٠	. 22.00
Chero	kee .						٠	. 20.00
In at	tractiv	'e	one	p	ounc	1	con	tainers
packe	d thir	ty	an	d f	ift	y	to	a case.
Above	grade	s i	ı bu	lk	\$2.	00	CV	vt less.

SEED SOWERS

Cyclon	е.	٠			٠	٠		\$20.00
Horn .			٠	٠	٠	٠	. 60	6.90

GOLD MEDAL INOCULATOR HIGH QUALITY HUMUS CULTURES

For SMALL SEEDS such as Alfalfa, Sweet Clover, Red, Mammoth, White and Alsike Clovers, Lespedeza.

36	Bushel size\$0.18
1	Bushel size
23%	Bushel size
For	LARGE SEEDS such as Soybeans,
Cow	peas, Vetches, Peas, Beans.
1	Bushel size\$0.18
2	Bushel size
	Published size 60

10 Bushel size...... 1.10 IMPORTANT: State size of cultures wanted, also kind of seed that is to be inoculated,

ORDERS FOR LESS THAN BAG LOTS WILL BE CHARGED FOR AT 50% PER 100 LBS HIGHER THAN LIST PRICES.

DISCLAIMER == The Louisville Seed Company gives no warranty, expressed or implied, as to description, quality or any other matter of any seed it sells and will not be responsible for the crop.



TACK UP FOR FUTURE REFERENCE



"He Reaps Most Who Sows Best"

### Company of Company	LEC	GAL WEIGHTS OF SEED AND GRAIN ALSO QUANTITY PER ACRE
60 Beans, Soy, broadcast 60—80 14 Bluegrass, Kentucky 21—28 48 Buckwheat 50—75 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alsike (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 31 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 60 Clover, White 10—20 60 Corn 6—12 60 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40	Lbs.	Per Bu. Lbs. Per Acre
60 Beans, Soy, broadcast 60—80 14 Bluegrass, Kentucky 21—28 48 Buckwheat 50—75 50 Cane, Drill 10—15 50 Cane, broadcast 50—75 60 Clover, Alfalfa, drills 15—20 60 Clover, Alfalfa, broadcast 18—22 60 Clover, Alfalke (alone for forage) 8—15 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Alsike (on wheat or rye in spring) 4—6 60 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 61 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 50 Corn 6—12 50 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50	47	Barley75—100
14 Bluegrass, Kentucky 21— 28 48 Buckwheat 50— 75 50 Cane, Drill 10— 15 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 55 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 32 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 <t< td=""><td>60</td><td>Beans, Soy, drills30— 40</td></t<>	60	Beans, Soy, drills30— 40
48 Buckwheat 50— 75 50 Cane, Drill 10— 15 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Sapling (Mammoth) 10— 15 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 32 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 4— 50 32 Oats 5— 65 14 <td>60</td> <td></td>	60	
50 Cane, Drill 10— 15 50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 50 Corn 6— 12 50 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90	14	Bluegrass, Kentucky21— 28
50 Cane, broadcast 50— 75 60 Clover, Alfalfa, drills 15— 20 60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 50 Corn 6— 12 60 Corn 6— 12 50 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 <tr< td=""><td>48</td><td>Buckwheat50 75</td></tr<>	48	Buckwheat50 75
60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 <td>50</td> <td>Cane, Drill10——15</td>	50	Cane, Drill10——15
60 Clover, Alfalfa, broadcast 18— 22 60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top (unhulled) 10— 15	50	Cane, broadcast50— 75
60 Clover, Alsike (alone for forage) 8— 15 60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 20— 30 60 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top (unhulled) 10— 15 56 Rye 56—112	60	Clover, Alfalfa, drills15— 20
60 Clover, Alsike (on wheat or rye in spring) 4— 6 60 Clover, Crimson 12— 15 25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy <td>60</td> <td>Clover, Alfalfa, broadcast18— 22</td>	60	Clover, Alfalfa, broadcast18— 22
60 Clover, Crimson 12—15 25 Clover, Japan (Lespedeza) 15—25 60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 33 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15	60	Clover, Alsike (alone for forage) 8— 15
25 Clover, Japan (Lespedeza) 15— 25 60 Clover, Sapling (Mammoth) 10— 15 60 Clover, Red (alone for forage) 10— 15 60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy and Alsike	60	
60 Clover, Sapling (Mammoth) 10—15 60 Clover, Red (alone for forage) 10—15 60 Clover, Red (on small grain in spring) 7—12 60 Clover, Sweet (hulled) 10—15 33 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50	60	
60 Clover, Red (alone for forage) .10— 15 60 Clover, Red (on small grain in spring) .7— 12 60 Clover, Sweet (hulled) .10— 15 33 Clover, Sweet (unhulled) .20— 30 60 Clover, White .10— 20 56 Corn .6— 12 56 Corn (for Silage) .40— 56 50 Millet, All Varieties (for seed) .25— 40 50 Millet, All Varieties (for hay) .40— 50 32 Oats .50— 65 14 Orchard Grass .20— 30 60 Peas, Cowpeas (drills) .45— 60 60 Peas, Cowpeas (broadcast) .75— 90 50 Rape (drill) .4— 8 50 Rape (broadcast) .8— 10 14 Red Top Fancy .7— 12 14 Red Top (unhulled) .10— 15 56 Timothy .10— 15 45 Timothy .10— 15 45 Timothy and Alsike .8— 10 60 Vetch, Hairy (drills) .35— 50 60 Vetch, Hairy (broadca	25	Clover, Japan (Lespedeza)15— 25
60 Clover, Red (on small grain in spring) 7— 12 60 Clover, Sweet (hulled) 10— 15 33 Clover, Sweet (unhulled) 20— 30 60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75 <	60	Clover, Sapling (Mammoth)10— 15
60 Clover, Sweet (hulled) 10—15 33 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	60	
33 Clover, Sweet (unhulled) 20—30 60 Clover, White 10—20 56 Corn 6—12 56 Corn (for Silage) 40—56 50 Millet, All Varieties (for seed) 25—40 50 Millet, All Varieties (for hay) 40—50 32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	60	
60 Clover, White 10— 20 56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	
56 Corn 6— 12 56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	33	
56 Corn (for Silage) 40— 56 50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	
50 Millet, All Varieties (for seed) 25— 40 50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	56	Corn 6— 12
50 Millet, All Varieties (for hay) 40— 50 32 Oats 50— 65 14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	56	
32 Oats 50—65 14 Orchard Grass 20—30 60 Peas, Cowpeas (drills) 45—60 60 Peas, Cowpeas (broadcast) 75—90 50 Rape (drill) 4—8 50 Rape (broadcast) 8—10 14 Red Top Fancy 7—12 14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	50	
14 Orchard Grass 20— 30 60 Peas, Cowpeas (drills) 45— 60 60 Poas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50	
60 Peas, Cowpeas (drills) 45— 60 60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	32	
60 Peas, Cowpeas (broadcast) 75— 90 50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	14	
50 Rape (drill) 4— 8 50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	
50 Rape (broadcast) 8— 10 14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	60	
14 Red Top Fancy 7— 12 14 Red Top (unhulled) 10— 15 56 Rye 56—112 25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	50	
14 Red Top (unhulled) 10—15 56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	50	
56 Rye 56—112 25 Sudan Grass 15—25 45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	14	
25 Sudan Grass 15— 25 45 Timothy 10— 15 45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	14	
45 Timothy 10—15 45 Timothy and Alsike 8—10 60 Vetch, Hairy (drills) 35—50 60 Vetch, Hairy (broadcast) 50—75	56	
45 Timothy and Alsike 8— 10 60 Vetch, Hairy (drills) 35— 50 60 Vetch, Hairy (broadcast) 50— 75	25	
60 Vetch, Hairy (drills)35— 50 60 Vetch, Hairy (broadcast)50— 75	45	
60 Vetch, Hairy (broadcast)50— 75	45	
	60	
60 Wheat90—120	60	
	60	Wheat90—120

Louisville Seed Company

831 West Main Street

LOUISVILLE, KENTUCKY